

1430 Monroe Avenue NW Suite 180 Grand Rapids, MI 49505 616.451.6270 616.451.6271 Fax

Mr. Jay Hoekstra Senior Planner Grand Valley Metropolitan Council 678 Front Avenue NW, Suite 200 Grand Rapids, Michigan 49504 March 30, 2012 NTH Project No. 74-091509

RE: Wealthy Jefferson Project 300 & 316 Wealthy St SE and 406 Lafayette Grand Rapids, MI 49503 Environmental Due Diligence Phase Nos. 03H18 and 03P14

Dear Mr. Hoekstra,

Attached are the data files collected for the Wealthy Jefferson Project during the Environmental Due Diligence Process. The data files include:

- Environmental Data Resources Reports
- Phase II Figures, Boring Logs, Chemical Data Tables and Laboratory Data Reports

We appreciate the opportunity to be of service to you. Should you have any questions or need additional information, please feel free to contact us at 517-451-6260.

Sincerely,


NTH Consultants, Ltd.


Steven L. Crider Project Professional


SLC/BSS/als


Brian Smits, PE Sr. Vice President













































































Map ID MAP FINDINGS

Direction Distance

Elevation Site Database(s) EPA ID Number

A1 A AND A DRY CLEANERS FINDS 1007133984
Target 300 WEALTHY ST SE N/A

Target 300 WEALTHY ST SE Property GRAND RAPIDS, MI 49503

Site 1 of 4 in cluster A

Actual: 673 ft.

FINDS:

Registry ID: 110015817507

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

A2 A AND A DRY CLEANERS RCRA-NonGen 1007098728
Target 300 WEALTHY ST SE RCRA-NonGen MIK562824847

Property GRAND RAPIDS, MI 49503

Site 2 of 4 in cluster A

Actual: RCRA-NonGen:

673 ft. Date form received by agency: 06/01/2008

Facility name: A AND A DRY CLEANERS
Facility address: 300 WEALTHY ST SE

GRAND RAPIDS, MI 49503

EPA ID: MIK562824847

Mailing address: 4669 CRANWOOD AVE SW

WYOMING, MI 49509

Contact: DAI WHANG

Contact address: 300 WEALTHY ST SE

GRAND RAPIDS, MI 49503

Contact country: US

Contact telephone: (616) 940-4166 Contact email: Not reported

EPA Region: 05

Land type: Other land type Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE Owner/operator address: Not reported

Owner/operator country: Not reported Not reported Not reported Not reported Legal status: Private Owner/Operator Type: Operator
Owner/Operator date: 06/02/2008

Owner/Operator Type. Operator
Owner/Op start date: 06/02/2008
Owner/Op end date: Not reported

Owner/operator name: NO ACTIVE O/OP AS NOT GENERATING WASTE

Owner/operator address: Not reported

Not reported

Owner/operator country: Not reported

**EDR ID Number** 

MAP FINDINGS Map ID

Direction Distance

**EDR ID Number** Elevation Site Database(s) **EPA ID Number** 

## A AND A DRY CLEANERS (Continued)

1007098728

Not reported Owner/operator telephone: Legal status: Private Owner/Operator Type: Owner Owner/Op start date: 06/02/2008 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: Nο Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

## Historical Generators:

Date form received by agency: 03/10/2003

Facility name: A AND A DRY CLEANERS

Classification: Conditionally Exempt Small Quantity Generator

## Hazardous Waste Summary:

Waste code: D001

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF

> LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT

WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

No violations found Violation Status:

**Evaluation Action Summary:** 

06/14/2007 Evaluation date:

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported Date achieved compliance: Not reported Evaluation lead agency: State

MAP FINDINGS Map ID

Direction Distance

Elevation Site Database(s) **EPA ID Number** 

**A3 A & A CLEANERS** LUST U003327820 **Target 300 WEALTHY ST SE** UST N/A **GRAND RAPIDS, MI 49503** 

## Site 3 of 4 in cluster A

Actual: 673 ft.

**Property** 

LUST: 00004307 Facility ID:

STATE OF MICHIGAN Source: Owner Name: A & A Cleaners 300 Wealthy St SE Owner Address:

Owner City, St, Zip: Grand Rapids, MI 49503-5352

Owner Contact: Not reported Owner Phone: (616) 451-0279

Country: USA

District: Grand Rapids District Office

Site Name: A & A Cleaners Latitude: 42.9556630000 -85.6615330000 Longitude: Date of Collection: 01/11/2001

Method of Collection: Address Matching-House Number

Accuracy: 100 Accuracy Value Unit: **FEET** Horizontal Data: NAD83 Point Line Area: **POINT** 

Desc Category: Plant Entrance (Freight)

C-0472-98 Leak Number: Release Date: 06/08/1998 Substance Released: Gasoline Release Status: Open Release Closed Date: Not reported

UST:

Facility ID: 00004307 Facility Type: **CLOSED** 42.9556630000 Latitude: Longitude: -85.6615330000 Owner Name: A & A Cleaners Owner Address: 300 Wealthy St SE

Owner City, St, Zip: Grand Rapids, MI 49503-5352

Owner Country: USA Not reported Owner Contact: (616) 451-0279 Owner Phone: Contact: DAI WHANG Contact Phone: (616) 457-0279 Date of Collection: 01/11/2001 Accuracy: 100

Accuracy Value Unit: FEET Horizontal Datum: NAD83

STATE OF MICHIGAN Source:

Point Line Area: **POINT** 

Desc Category: Plant Entrance (Freight)

Method of Collection: Address Matching-House Number

Tank ID:

Tank Status: **Removed from Ground** 

Capacity: 6000 Install Date: 01/10/1982 Product: Gasoline

**EDR ID Number** 

Map ID Direction Distance Elevation MAP FINDINGS

EDR ID Number
Site Database(s) EPA ID Number

A & A CLEANERS (Continued)

U003327820

Remove Date: 06/08/1998
Tank Release Detection: Not reported
Pipe Realease Detection: Not reported
Piping Material: Galvanized Steel
Piping Type: Suction: Valve at Tank
Constr Material: Asphalt Coated or Bare Steel

Impressed Device: No

Tank ID: 2


Tank Status: Removed from Ground

6000 Capacity: Install Date: 01/10/1982 Product: Gasoline Remove Date: 06/08/1998 Tank Release Detection: Not reported Pipe Realease Detection: Not reported Piping Material: Galvanized Steel Piping Type: Suction: Valve at Tank Constr Material: Asphalt Coated or Bare Steel


Impressed Device: No

Nonresponsive – confidential business information











































































































































































































































































































## Nonresponsive – confidential business information











































































































































































Nonresponsive –	confidential	business informa	ation











































































































































































































































PROJECT NO: 74-091509-03P14	NTH CONSULTANTS, LTD.	SHEET 1 OF 2
	LOG OF GEOPROBES	

	GROUND	DEDTU		DISCRETE SAMPLE INFO					
PROBE NO.	SURFACE	DEPTH (FT)	SOIL DESCRIPTION	SAMPLE	DEPT	PID			
NO.	ELEV.	V .7		NO.	FROM	То	READING (PPM)		
B-1		0-0.5	ASPHALT	S-1* (1.5')	0	2	(4 <u>44</u> )		
		0.5-2.0	DARK BROWN MOIST SAND, MEDIUM TO COARSE GRAIN, TRACE GRAVEL	S-2	2	4	-		
		2.0-8.0	BROWN MOIST CLAY	S-3	4	6	-		
	A	8.0-9.0	BROWN SAND, F NE TO MEDIUM	S-4	6	8	=		
		9.0-20.0	BROWN MOIST CLAY	S-5	8	10	-		
				S-6	10	12	-		
				S-7	12	14	100		
			GROUNDWATER WAS NOT ENCOUNTERED	S-8	14	16	-		
			END OF BOR NG	S-9	16	20	-		
B-2		0-0.5	ASPHALT	S-1	0	2			
		0.5-3.0	BROWN MOIST SAND, MEDIUM TO COARSE GRAIN, TRACE GRAVEL	S-2	2	4			
		3.0-4.0	LIGHT BROWN SAND TO S LT, FINE TO MEDIUM GRAIN,	S-3* (5.5')	4	6	-		
		4.0-5.0	BROWN MOIST CLAY TO SAND	S-4	6	8	-		
		5.0-6.0	BROWN & BLACK MOIST CLAY, TRACE SAND	S-5	8	10	4		
		6.0-10.0	BROWN MOIST CLAY, TRACE SAND						
			GROUNDWATER WAS NOT ENCOUNTERED						
			END OF BOR NG						
B-3		0-0.5	GRASS	S-1	0	2	0		
		0.5-1.0	TOPSOIL	S-2	2	4	0		
		1.0-2.0	BROWN SAND, F NE TO MEDIUM GRAIN, TRACE GRAVEL, ODOR	S-3* (5')	4	6	0		
		2.0-4.0	BROWN MOIST CLAY, TRACE SAND	S-4	6	8	0		
		4.5-5.0	BROWN MOIST CLAY	S-5	8	10	0		
		5.0-5.5	BROWN MOIST CLAY, TRACE SAND/SILT	S-6	10	12	0		
		5.5-7.5	BROWN MOIST CLAY, TRACE SAND						
		7.5-8.0	BLACK & DARK GREY SAND, F NE TO MEDIUM GRAIN,						
		8.0-8.5	BLACK & DARK GREY SAND, TRACE SILT						
		8.5-12	BROWN MOIST CLAY, TRACE SAND						
			GROUNDWATER WAS ENCOUNTERED AT 8.0 FT*						

# NOTES:

- [1] GEOPROBES BACKFILLED WITH HYDRATED BENTONITE CHIPS AFTER OBTAINING SO L AND/OR WATER SAMPLES.
- [2] GEOPROBE DRILLING INSPECTED BY AARON LAMMERS OF NTH CONSULTANTS, LTD.
- [3] SOIL CLASSIFICATION BASED SOLELY ON VISUAL OBSERVATION.
- [4] \* SAMPLE SUBMITTED FOR ANALYTICAL TESTING.


DRILLED BY: La Pointe Environmental DATE: November 21, 2011 FIGURE NO: 3

PROJEC	T NO: 74-091	509-03P14	NTH CONSULTANTS, LTD.	SHEET 2 OF 2							
			LOG OF GEOPROBES								
	GROUND	1	DISCRETE SAMPLE INFO.								
PROBE NO.	SURFACE	DEPTH (FT)	SOIL DESCRIPTION	SAMPLE	DEPT	H (FT)	PID				
NO.	ELEV.	(F1)	0.100 400 100 100	NO.	FROM	То	READING (PPM)				
B-4		0-0.5	GRASS	S-1	0	2	0				
100		0.5-1.0	TOPSOIL	S-2	2	4	0				
		1.0-7.0	LIGHT BROWN SAND, F NE GRAIN, (BEACH SAND)	S-3* (6')	4	6	0				
	A 7	7.0-10.0	WET LIGHT BROWN SAND	S-4	6	8	0				
		10.0-12.0	BROWN MOIST CLAY	DISCR SAMPLE NO. S-1 S-2 S-3* (6')	8	10	0				
				S-6	10	12	0				
			GROUNDWATER WAS ENCOUNTERED AT 7.0 FT*								
			END OF BOR NG								
B-5		0-0.5	GRASS	S-1	0	2	0				
		0.5-1.0	TOPSOIL	S-2	2	4	0				
		1.0-4.0	BROWN MOIST CLAY, TRACE SAND & GRAVEL	S-3* (4.5')	4	6	0				
		4.0-4.5	WHITE CONCRETE	S-4	6	8	0				
		4.5-7.0	WET BROWN S LT, TRACE SAND	S-5	8	10	0				
		7.0-8.5	BROWN MOIST CLAY, TRACE SAND	S-6	10	12	0				
		8.5-9.0	BROWN SAND, MEDIUM GRAIN, TRACE SILT			160					
		9.0-12.0	BROWN MOIST CLAY, TRACE SAND								
			GROUNDWATER WAS ENCOUNTERED AT 7.0 FT*								
			END OF BOR NG								
B-6		0-0.5	GRASS	S-1* (0.5')	0	2	0				
		0.5-1.0	TOPSOIL	S-2	2	4	0				
		1.0-1.5	BLACK SAND, F NE TO MEDIUM GRAIN, TRACE ORGANICS								
		1.5-4.0	BROWN MOIST CLAY								
		-									
			GROUNDWATER WAS NOT ENCOUNTERED								
			END OF BOR NG								

#### NOTES:

- [5] GEOPROBES BACKFILLED WITH HYDRATED BENTONITE CHIPS AFTER OBTAINING SO L AND/OR WATER SAMPLES.
- [6] GEOPROBE DRILLING INSPECTED BY AARON LAMMERS OF NTH CONSULTANTS, LTD.
- [7] SOIL CLASSIFICATION BASED SOLELY ON VISUAL OBSERVATION.
- [8] \* SAMPLE SUBMITTED FOR ANALYTICAL TESTING.
- [9] GEOPROBES BACKFILLED WITH HYDRATED BENTONITE CHIPS AFTER OBTAINING SO L AND/OR WATER SAMPLES.
- [10] GEOPROBE DRILLING INSPECTED BY AARON LAMMERS OF NTH CONSULTANTS, LTD.
- [11] SOIL CLASSIFICATION BASED SOLELY ON VISUAL OBSERVATION.
- [12] \* SAMPLE SUBMITTED FOR ANALYTICAL TESTING.

DRILLED BY: La Pointe Environmental DATE: November 21, 2011 FIGURE NO: 3



#### TABLE No. 2

#### Summary of Analytical Data

## Water Samples Collected on November 21, 2011

# 300 & 316 Wealthy St. SE and Lafayette Ave. SE Grand Rapids, Michigan

						0.	ana napiao, iiio	9 u										
SAMPLE ID		B-3W	B-4W	B-4W DUP.	TRIP BLANK	Part 201 Generic Cleanup Criteria (MDEQ Operational Memorandum No. 1, March 25, 2011 RIA												
Sample Depth (Feet Below Grade) Collection Date		- 11/21/2011	- 11/21/2011	- 11/21/2011	- 11/21/2011	Drinking Water Criteria (DW)	Nonresidential Drinking Water Criteria (NRDW)	Groundwater Surface Water Interface Criteria (GSI)	Groundwater Volatilization to Indoor Air Inhalation Criteria (GVIIC)	Nonresidential Groundwater Volatilization to Indoor Air Inhalation Criteria (NRGVIIC)	Groundwater Contact Criteria (GCC)	Water Solubility (WS)	Flammability and Explosivity Screening Level (FESL)	Acute Inhalation Screening Level (AISL)				
						1		(651)	(GVIIC)	(INICOVIIC)			(I LSL)					
Compound (ug/kg)	CAS#	Conc.	Conc.	Conc.	Conc.	1												
VOCs and PNAs						<del> </del>												
Benzene (I)	71-43-2	41	<1.0	<1.0	<1.0	5.0 (A)	5.0 (A)	200 (X)	5,600	35,000	11,000	1.75E+06	68,000	67,000				
n-Butylbenzene	104-51-8	17	6.2	5	<1.0	80	230	ID	ID	ID	5,900	NA	ID	ID				
sec-Butylbenzene	135-98-8	4.4	8.3	5.7	<1.0	80	230	ID	ID	ID	4,400	NA	ID	ID				
trans-1,2-Dichloroethylene	156-60-5	1.1	<1.0	<1.0	<1.0	100 (A)	100 (A)	1,500 (X)	85,000	2.00E+05	2.20E+05	6.30E+06	2.30E+05	ID				
Ethylbenzene (I)	100-41-4	380	9.5	8.1	<1.0	74 (E)	74 (E)	18	1.10E+05	1.7E+5 (S)	1.7E+5 (S)	1.69E+05	43,000	1.7E+5 (S)				
Isopropyl benzene	98-82-8	17	32	23	<5.0	800	2,300	28	56,000 (S)	56,000 (S)	56,000 (S)	56,000	29,000	ID				
2-Methylnaphthalene	91-57-6	21	<5.0	<5.0	<5.0	260	750	19	25,000 (S)	25,000 (S)	25,000 (S)	24,600	ID	ID				
Naphthalene	91-20-3	39	47	35	<5.0	520	1,500	11	31,000 (S)	31,000 (S)	31,000 (S)	31,000	NA	31,000 (S)				
n-Propylbenzene (I)	103-65-1	54	120	79	<1.0	80	230	ID	ID	ID	15,000	NA	ID	ID				
Toluene (I)	108-88-3	3.5	1.1	1.1	<1.0	790 (E)	790 (E)	270	5.3E+5 (S)	5.3E+5 (S)	5.3E+5 (S)	5.26E+05	61,000	ID				
1,2,3-Trimethy benzene	526-73-8	78	36	32	<1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA				
1,2,4-Trimethy benzene (I)	95-63-6	690	27	34	<1.0	63 (E)	63 (E)	17	56,000 (S)	56,000 (S)	56,000 (S)	55,890	56,000 (S)	ID				
1,3,5-Trimethy benzene (I)	108-67-8	100	4.5	7.4	<1.0	72 (E)	72 (E)	45	61,000 (S)	61,000 (S)	61,000 (S)	61,150	ID	ID				
Xylenes (I)	1330-20-7	1,300	72	68	<3.0	280 (E)	280 (E)	41	1.9E+5 (S)	1.9E+5 (S)	1.9E+5 (S)	1.86E+05	70,000	1.9E+5 (S)				
2-Methylnaphthalene	91-57-6	21	<5.0	<5.0	<5.0	260	750	19	25,000 (S)	25,000 (S)	25,000 (S)	24,600	ID	ID				
All other Analyzed VOCs and PNA:	s	ND	ND	ND	ND	Various	Various	Various	Various	Various	Various	Various	Various	Various				
METALS																		
Arsenic	7440-38-2		12			10 (A)	10 (A)	10	NLV	NLV	4,300	NA	ID	ID				
Barium (B)	7440-39-3		750			2,000 (A)	2,000 (A)	12,000 (G)	NLV	NLV	1.40E+07	NA	ID	ID				
Cadmium (B)	7440-43-9		11			5.0 (A)	5.0 (A)	4.6 (G,X)	NLV	NLV	1.90E+05	NA	ID	ID				
Chromium, Total	7440-47-3		68			100 (A)	100 (A)	11	NLV	NLV	4.60E+05	NA	ID	ID				
Copper (B)	7440-50-8		12			1,000 (E)	1,000 (E)	20.6 (G)	NLV	NLV	7.40E+06	NA	ID	ID				
Lead (B)	7439-92-1		130			4.0 (L)	4.0 (L)	29 (G,X)	NLV	NLV	ID	NA	ID	ID				
Zinc (B)	7440-66-6		350			2,400	5,000 (E)	270 (G)	NLV	NLV	1.10E+08	NA	ID	ID				

#### NOTES:

201 Criteria Effective Date March 25th, 2011

Refer to 201 Criteria tables for criteria footnote definitions

SAMPLES COLLECTED BY NTH CONSULTANTS PERSONNEL AND ANALYZED BY FIBERTEC ENVIRONMENTAL SERVICES OF HOLT, MICHIGAN.

MG/KG - MILLIGRAMS PER KILOGRAM; MG/L - MICROGRAMS PER LITER (≈ PARTS PER MILLION). µG/KG - MICROGRAMS PER KILOGRAM; µG/L - MICROGRAMS PER LITER (≈ PARTS PER BILLION).

A shaded cell indicates that one or more of the criterion have been exceeded.

A bold number indicates the concentration is higher than the criterion and below the Statewide Default therefore, the critierion is not exceeded.

NA = CRITERIA NOT APPLICABLE OR NOT AVAILABLE

ND = NON DETECT

(ID) - INADEQUATE DATA TO DEVELOP CRITERION.

NLV - CHEMICAL IS NOT LIKELY TO VOLATILIZE UNDER MOST CONDITIONS.

----- NOT TESTED FOR INDICATED PARAMETER.

(A) = CRITERION IS THE STATE OF MICHIGAN DRINKING WATER STANDARD ESTABLISHED PURSUANT TO SECTION 5 OF 1976 PA 399, MCL 325. 1005.

(E) = CRITERION IS THE AESTHETIC DRINKING WATER VALUE, AS REQUIRED BY SECTION 20120A(5) OF THE NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION ACT, 1994 PA 451 AS AMENDED (NREPA)

(G) = CRITERIA IS PH AND/OR WATER HARDNESS DEPENDENT. A HARDNESS VALUE OF 265 MG CACO3/L HAS BEEN USED. REFER TO FOOTNOTE G IN MDEQ OP. MEMO. NO. 1, ATTACHMENT 1, DATED DEC 14, 2010.

# TABLE No. 1 Summary of Analytical Data Soil Samples Collected on November 21, 2011 300 &316 Wealthy St. SE and 406 Lafayette Ave. SE Grand Rapids. Michigan

	Grand Rapids, Michigan																			
SAMPLE ID		B-1 (1.5')	B-2 (5.5')	B-3 (5')	B-4 (6')	B-5 (4.5')	B-6 (6")	B-7 (2.5')	B-7 (2.5') DUP.			PART 201 RES	IDENTIAL SOIL C	LEANUP CRITERI	A (MDEQ Operat	ional Memorand	um No. 1, March 2	25, 2011)		
Sample Depth (Feet E	Below Grade)	1.5'	5.5'	5'	6'	4 5'	6'	2 5'	-	State-Wide Default Background	Drinking Water Protection Criteria	Groundwater Surface Water Interface Protection	Groundwater Contact Protection	Soil Volatilization to Indoor Air Inhalation (SVIIC)	Infinite Source Volatile Soil Inhalation Criteria	Finite VSIC for 5 Meter Source Thickness	Finite VSIC for 2 Meter Source Thickness	Particulate Soil Inhalation Criteria	Direct Contact Criteria (DC)	Soil Saturation (Csat) Screening
Collection Date		11/21/2011	11/21/2011	11/21/2011	11/21/2011	11/21/2011	11/21/2011	11/21/2011	11/21/2011	Background	1 Totection Officia	Criteria	(GCP) Criteria	Criteria	(VSIC-Infinite)	(VSIC-5 Meter)	(VSIC-2 Meter)	(PSIC)	Ontena (DO)	Levels
Compound (ug/kg)	CAS#	Conc.	Conc.	Conc.	Conc.	Conc.	Conc.	Conc.	Conc.											
VOCs and PNAs				<u>'</u>																
n-Butylbenzene	104-51-8	<50	<50	1,400	<50	<50	<50	<50	<50	NA	1,600	ID	120,000	ID	ID	ID	ID	2,000,000,000	2,500,000	10,000,000
sec-Butylbenzene	135-98-8	<50	<50	290	<50	<50	<50	<50	<50	NA	1,600	ID	88,000	ID	ID	ID	ID	400,000,000	2,500,000	10,000,000
Ethylbenzene (I)	100-41-4	<50	<50	2,400	<50	<50	<50	<50	<50	NA	1,500	360	1.4E+5 (C)	87,000	720,000	1,000,000	2,200,000	10,000,000,000	1.4E+5 (C)	140,000
Isopropyl benzene	98-82-8	<250	<250	390	<250	<250	<250	<250	<250	NA	91,000	3,200	3.9E+5 (C)	3.9E+5 (C)	1,700,000	1,700,000	2,800,000	5,800,000,000	3.9E+5 (C)	390,000
2-Methylnaphthalene	91-57-6	<330	<330	2,100	<330	<330	<330	<330	<330	NA	57,000	4,200	5,500,000	2,700,000	1,500,000	1,500,000	1,500,000	670,000,000	8,100,000	NA
Naphthalene	91-20-3	<330	<330	1,600	<330	<330	<330	<330	<330	NA	35,000	730	2,100,000	250,000	300,000	300,000	300,000	200,000,000	16,000,000	NA
n-Propylbenzene (I)	103-65-1	<100	<100	2,000	<100	<100	<100	<100	<100	NA	1,600	ID	300,000	ID	ID	ID	ID	1,300,000,000	2,500,000	10,000,000
Tetrachloroethylene	127-18-4	<50	<50	<50	<50	57	150	<50	<50	NA	100	1,200 (X)	88,000 (C)	11,000	180,000	480,000	1,100,000	5,400,000,000	88,000 (C)	88,000
1,2,3-Trimethylbenzene	526-73-8	<100	<100	1,600	<100	<100	<100	<100	<100	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA 110.000
1,2,4-Trimethylbenzene (I)	95-63-6 108-67-8	<100	<100	10,000	<100	<100	<100	<100	<100	NA NA	2,100	570	1.1E+5 (C)	1.1E+5 (C)	21,000,000	500,000,000	500,000,000	82,000,000,000	1.1E+5 (C)	110,000
1,3,5-Trimethylbenzene (I)	75-01-4	<100 <40	<100 <40	2,900 <40	<100 <40	<100 <40	<100 <40	<100 <40	<100 <40	NA NA	1,800 40	1,100 260 (X)	94,000 (C) 20,000	94,000 (C) 270	16,000,000 4,200	380,000,000	380,000,000 73,000	82,000,000,000 350,000,000	94,000 (C) 3,800	94,000 490,000
Vinyl chloride	1330-20-7	<150	<150	6,200	<150	<150	<150	<150	<150	NA NA	5,600	820	1.5E+5 (C)	1.5E+5 (C)	46,000,000	61,000,000	130.000.000	290,000,000,000	1.5E+5 (C)	150,000
Xylenes (I)	208-96-8	<330	<330	<330	<330	<330	<330	3,100	410	NA NA	5,900	ID	440,000	1,600,000	2,200,000	2,200,000	2,200,000	2,300,000,000	1,600,000	NA
Acenaphthylene Anthracene	120-12-7	<330	<330	<330	<330	<330	<330	2,600	390	NA NA	41.000	ID	41,000	1.0E+9 (D)	1.400.000.000	1,400,000,000	1,400,000,000	67,000,000,000	230.000.000	NA NA
Benzo(a)anthracene (Q)	56-55-3	350	<330	<330	<330	<330	510	15,000	2,300	NA NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA NA
Benzo(a)pyrene (Q)	50-32-8	<330	<330	<330	<330	<330	350	18,000	2,800	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	1,500,000	2,000	NA
Benzo(b)fluoranthene (Q)	205-99-2	<330	<330	<330	<330	<330	530	25,000	3,700	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	20,000	NA
Benzo(g,h,i)perylene	191-24-2	<330	<330	<330	<330	<330	<330	7,300	2,100	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	800,000,000	2,500,000	NA
Benzo(k)fluoranthene (Q)	207-08-9	<330	<330	<330	<330	<330	<330	9,000	1,300	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	200,000	NA
Chrysene (Q)	218-01-9	<330	<330	<330	<330	<330	370	15,000	2,400	NA	NLL	NLL	NLL	ID	ID	ID	ID	ID	2,000,000	NA
Dibenzo(a,h)anthracene (Q)	53-70-3	<330	<330	<330	<330	<330	<330	2,500	470	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	2,000	NA
Fluoranthene	206-44-0	400	<330	<330	<330	<330	770	27,000	4,800	NA	730,000	5,500	730,000	1.0E+9 (D)	740,000,000	740,000,000	740,000,000	9,300,000,000	46,000,000	NA
Indeno(1,2,3-cd)pyrene (Q)	193-39-5	<330	<330	<330	<330	<330	<330	9,400	2,200	NA	NLL	NLL	NLL	NLV	NLV	NLV	NLV	ID	20,000	NA
2-Methylnaphthalene	91-57-6	<330	<330	2,100	<330	<330	<330	<330	<330	NA	57,000	4,200	5,500,000	2,700,000	1,500,000	1,500,000	1,500,000	670,000,000	8,100,000	NA
Phenanthrene	85-01-8	<330	<330	<330	<330	<330	480	5,900	1,100	NA	56,000	2,100	1,100,000	2,800,000	160,000	160,000	160,000	6,700,000	1,600,000	NA
Pyrene	129-00-0	<330	<330	<330	<330	<330	610	21,000	3,900	NA	480,000	ID	480,000	1.0E+9 (D)	650,000,000	650,000,000	650,000,000	6,700,000,000	29,000,000	NA
All other Analyzed VOCs and PNAs		ND	ND	ND	ND	ND	ND	ND	ND	Various	Various	Various	Various	Various	Various	Various	Various	Various	Various	Various
METALS				11					1											
Arsenic	7440-38-2	2,500	950	5,400	650	4,100	3,900	20,000	4,900	5,800	4,600	4,600	2,000,000	NLV	NLV	NLV	NLV	720,000	7,600	NA
Barium (B)	7440-39-3	58,000	100,000	41,000	4,700	79,000	86,000	1,100,000	320,000	75,000	1,300,000	790,000 (G,X)	1.0E+9 (D)	NLV	NLV	NLV	NLV	330,000,000	37,000,000	NA
Cadmium (B)	7440-43-9	180	180	87	<50	66	710	1,600	780	1,200	6,000	5,500 (G,X)	230,000,000	NLV	NLV	NLV	NLV	1,700,000	550,000	NA NA
Chromium, Total	7440-47-3 7440-50-8	6,400	7,100	15,000	2,000	10,000	9,600	23,000	23,000	18,000 (total)	30,000	3,300	140,000,000	NLV NLV	NLV	NLV NLV	NLV	260,000	2,500,000	NA NA
Copper (B)	7440-50-8	9,200	4,700	13,000	1,700	8,600	22,000	50,000	26,000	32,000	5,800,000	120,000 (G)	1.0E+9 (D)	NLV NLV	NLV	NLV NLV	NLV	130,000,000	20,000,000	NA NA
Lead (B)	7439-92-1	78,000 140	6,000 <50	7,300 <50	1,200 <50	20,000 <50	180,000 160	1,800,000 2,200	1,400,000 280	21,000 130	700,000 1,700	5,100,000 (G,X) 50 (M); 1.2	47.000	NLV 48.000	NLV 52,000	NLV 52.000	NLV 52.000	100,000,000	400,000 160.000	NA NA
Mercury, Total	7439-97-6	280	<50 <200	<50 <200	<50 <200	<50 <200	460	6,400	820	410	4,000	50 (M); 1.2 400	78,000,000	48,000 NLV	52,000 NLV	52,000 NLV	52,000 NLV	130,000,000	2,600,000	NA NA
Selenium (B) Silver (B)	7440-22-4	<100	<100	<100	<100	<100	<100	110	120	1,000	4,500	100 (M); 27	200,000,000	NLV NLV	NLV	NLV	NLV NLV	6,700,000	2,500,000	NA NA
Zinc (B)	7440-66-6	56,000	21,000	33,000	4,900	39,000	150,000	1,300,000	440,000	47,000	2,400,000	270,000 (G)	1.0E+9 (D)	NLV	NLV	NLV	NLV	ID	170,000,000	NA NA

### NOTES

201 Criteria Effective Date March 25th, 2011

Refer to 201 Criteria tables for criteria footnote definitions

SAMPLES COLLECTED BY NTH CONSULTANTS PERSONNEL AND ANALYZED BY F BERTEC ENV RONMENTAL SERVICES OF HOLT, MICHIGAN.

MG/KG - M LLIGRAMS PER K LOGRAM; MG/L - MILLIGRAMS PER LITER (≈ PARTS PER MILLION). µG/KG - MICROGRAMS PER K LOGRAM; µG/L - MICROGRAMS PER LITER (≈ PARTS PER B LLION).

A shaded cell indicates that one or more of the criterion have been exceeded.

A **bold** number indicates the concentration is higher than the criterion and below the Statewide Default therefore, the critierion is not exceeded.

NA = Criteria Not Applicable or Not Available

NA = CRITERIA NOT APPLICABLE OR NOT AVAILABLE

ND = NON DETECT

 $\ensuremath{\mathsf{NLL}}$  - CHEMICAL IS NOT L KELY TO LEACH UNDER MOST SO L CONDITIONS.

NLV - CHEMICAL IS NOT LIKELY TO VOLAT LIZE UNDER MOST CONDITIONS.

(D) = CALCULATED CRITERIA EXCEEDS 100 PERCENT, HENCE IT IS REDUCED TO 100 PERCENT OR .1.0E+9 PARTS PER B LLIONS (PPB)

(DD) = HAZARDOUS SUBSTANCE CAUSES DEVELOPMENTAL EFFECTS. RES DENTIAL D RECT CONTACT CRITERIA ARE PROTECTIVE OF BOTH PRENATAL AND POSTNATAL EXPOSURE.

(G) = CRITERIA IS PH AND/OR WATER HARDNESS DEPENDENT. A HARDNESS VALUE OF 265 MG CACO3/L HAS BEEN USED. REFER TO FOOTNOTE G N MDEQ OP. MEMO. NO. 1, ATTACHMENT 1, DATED DEC 14, 2010.

